



**FIGURE 1**




10083576.022702

**FIGURE 2**

# Western Blot Analysis of PCNA Isolation Fractions



**FIGURE 3****Analysis of csPCNA Isolation Fractions**





FIGURE 4

207220'975E8007

FIGURE 5A

Validation of the viability of the streptavidin surface of the streptavidin-coated plate



- 0) blank
- 1) 1:1000 000 dilution
- 2) 1:800 000 dilution
- 3) 1: 600 000 dilution
- 4) 1:400 000 dilution
- 5) 1:200 000 dilution (2 exsp)
- 6) 1:150 000 dilution
- 7) 1:100 000 dilution (2 exsp)
- 8) 1:75000 dilution
- 9) 1:50 000 dilution (2 exsp)
- 10) 1:25 000 dilution (2 exsp)
- 11) 1:10 000 dilution (2 exsp)
- 12) 1:5000 dilution
- 13) 1:1500 dilution
- 14) 1:1000 dilution
- 15) 1:100 dilution
- 16) 1:50 dilution

FIGURE 5B





FIGURE 6



**FIGURE 7A**

**ELISA ASSAY with MCF7 P4 and MCF10 P4 proteins**






FIGURE 7B











FIGURE 7C



# ELISA Assay for detection of Cancer Specific Form of PCNA present in MCF7 breast cancer cell lines

